Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

1. (Currently Amended) A compound of ~~general~~ formula (I):



(I)

in which:

n is 1, 2, or 3;

p is 1, 2, 3 or 4;

R^a is a C_1-C_6-halogenoalkyl having 1 to 5 halogen atoms;

each substituent X is independently selected from the group consisting of a hydrogen atom, a halogen atom, a C_1-C_6-alkyl and a C_1-C_6-halogenoalkyl;

R^1 and R^2 are independently selected from the group consisting of a hydrogen atom, a halogen atom, a cyano group, a hydroxy group, an amino group, a sulfanyl group, a formyl group, a formyloxy group, a formylamino group, a carboxy group, a carbamoyl group, a N-hydroxycarbamoyl group, a carbamate group, a (hydroxyimino)-C_1-C_6-alkyl group, a

C_1-C_6-alkyl, a C_2-C_6-alkenyl, a C_2-C_6-alkynyl, a C_1-C_6-alkylamino, a di-C_1-C_6-alkylamino, a C_1-C_6-alkoxy, a C_1-C_6-halogenoalkyl having 1 to 5 halogen atoms, a C_1-C_6-halogenoalkoxy having 1 to 5 halogen atoms, a C_1-C_6-alkylsulfanyl, a C_1-C_6-halogenoalkylsulfanyl having 1 to 5 halogen atoms, a C_2-C_6-alkenyloxy, a C_2-C_6-halogenoalkenyloxy having 1 to 5 halogen atoms, a C_3-C_6-alkynyloxy, a C_3-C_6-halogenoalkynyloxy having 1 to 5 halogen atoms, a C_3-C_6-cycloalkyl, a C_3-C_6-halogenocycloalkyl having 1 to 5 halogen atoms, a C_1-C_6-alkylcarbonyl, a C_1-C_6-halogenoalkylcarbonyl having 1 to 5 halogen atoms, a C_1-C_6-alkylcarbamoyl, a di-C_1-C_6-alkylcarbamoyl, a N-C_1-C_6-alkyloxycarbamoyl, a C_1-C_6-alkoxycarbamoyl, a N-C_1-C_6-alkyl-C_1-C_6-alkoxycarbamoyl, a C_1-C_6-alkoxycarbonyl, a C_1-C_6-halogenoalkoxycarbonyl having 1 to 5 halogen atoms, a C_1-C_6-alkylcarbonyloxy, a C_1-C_6-halogenoalkylcarbonyloxy having 1 to 5 halogen atoms, a C_1-C_6-alkylcarbonylamino, a C_1-C_6-halogenoalkylcarbonylamino having 1 to 5 halogen atoms, a C_1-C_6-alkylaminocarbonyloxy, a di-C_1-C_6-alkylaminocarbonyloxy, a C_1-C_6-alkyloxycarbonyloxy, a C_1-C_6-alkylsulphenyl, a C_1-C_6-halogenoalkylsulphenyl having 1 to 5 halogen atoms, a C_1-C_6-alkylsulphinyl, a C_1-C_6-halogenoalkylsulphinyl having 1 to 5 halogen atoms, a C_1-C_6-alkylsulphonyl, a C_1-C_6-halogenoalkylsulphonyl having 1 to 5 halogen atoms, a benzyl, a benzyloxy, a benzylsulfanyl, a benzylsulfinyl, a benzylsulfonyl, a benzylamino, a phenoxy, a phenylsulfanyl, a phenylsulfinyl, a phenylsulfonyl, a phenylamino, a phenylcarbonylamino, a 2,6 dichlorophenyl-carbonylamino group or a phenyl group; or R^1 and R^2 may form together a cyclopropyl, a cylcobutyl, a cyclopentyl~~or~~ and a cyclohexyl;

R^3 and R^4 are independently selected from the group consisting of a hydrogen atom, a halogen atom, a cyano group, a C_1-C_6-alkyl, a C_1-C_6-halogenoalkyl having 1 to 5 halogen atoms, and a phenyl group;

with the proviso that when three of the four substituents R^1, R^2, R^3 and R^4 are a hydrogen atom, then the fourth substituent is not a hydrogen atom;

R^5 is selected from the group consisting of a hydrogen atom, a cyano group, a formyl group, a hydroxy group, a C_1-C_6-alkyl, a C_1-C_6-halogenoalkyl having 1 to 5 halogen atoms, a C_1-C_6-alkoxy, a C_1-C_6-halogenoalkoxy having 1 to 5 halogen atoms, a C_3-C_6-halogenocycloalkyl having 1 to 5 halogen atoms, a C_2-C_6-alkenyl, a C_2-C_6-alkynyl, a C_1-C_6-alkoxy-C_1-C_6-alkyl, a C_1-C_6-cyanoalkyl, a C_1-C_6-aminoalkyl, a C_1-C_6-alkylamino-C_1-C_6-alkyl, a di-C_1-C_6-alkylamino-C_1-C_6-alkyl, a C_1-C_6-alkylcarbonyl, a C_1-C_6-halogenoalkylcarbonyl having 1 to 5 halogen atoms, a C_1-C_6-alkyloxycarbonyl, a C_3-C_7-cycloalkyl, a C_3-C_7-halogenocycloalkyl having 1 to 5 halogen atoms, a C_3-C_7-cycloalkyl-C_1-C_6-alkyl, a C_1-C_6-benzyloxycarbonyl, a C_1-C_6-alkoxy-C_1-C_6-alkylcarbonyl, a C_1-C_6-alkylsulfonyl and a C_1-C_6-halogenoalkylsulfonyl having 1 to 5 halogen atoms;

each substituent Y is independently selected from the group consisting of a hydrogen atom, a halogen atom, a nitro group, a cyano group, a hydroxy group, an amino group, a sulfanyl group, a ~~pentafluoro-□^{6}-sulfanyl group~~ pentafluoro-λ^6-sulfanyl group, a formyl group, a formyloxy group, a formylamino group, a carboxy group, a C_1-C_8-alkyl, a C_1-C_8-halogenoalkyl having 1 to 5 halogen atoms, a C_2-C_8-alkenyl, a C_2-C_8-alkynyl, a C_1-C_8-alkylamino, a di-C_1-C_8-alkylamino, a C_1-C_8-alkoxy, a C_1-C_8-halogenoalkoxy having 1 to 5 halogen atoms, a

C_1-C_8-alkoxy-C_2-C_8-alkenyl, a C_1-C_8-alkylsulfanyl, a C_1-C_8-halogenoalkylsulfanyl having 1 to 5 halogen atoms, a C_1-C_8-alkoxycarbonyl, a C_1-C_8-halogenoalkoxycarbonyl having 1 to 5 halogen atoms, a C_1-C_8-alkylcarbonyloxy, a C_1-C_8-halogenoalkylcarbonyloxy having 1 to 5 halogen atoms, a C_1-C_8-alkylsulphenyl, a C_1-C_8-halogenoalkylsulphenyl having 1 to 5 halogen atoms, a C_1-C_8-alkylsulphinyl, a C_1-C_8-halogenoalkylsulphinyl having 1 to 5 halogen atoms, a C_1-C_8-alkylsulphonyl, a C_1-C_8-halogenoalkylsulphonyl having 1 to 5 halogen atoms ~~or~~ and a C_1-C_8-alkylsulfonamide; and

R^b is selected from the group consisting of a halogen atom, a nitro group, a cyano group, an amino group, a sulfanyl group, a pentafluoro-λ^6-sulfanyl group, a formyl group, a formyloxy group, a formylamino group, a carboxy group, a C_1-C_6-alkyl, a C_1-C_6-halogenoalkyl having 1 to 5 halogen atoms, a C_2-C_6-alkenyl, a C_2-C_6-alkynyl, a C_1-C_6-alkylamino, a di-C_1-C_6-alkylamino, a C_1-C_6-alkoxy, a C_1-C_6-halogenoalkoxy having 1 to 5 halogen atoms, a C_1-C_6-alkoxy-C_2-C_6-alkenyl, a C_1-C_6-alkylsulfanyl, a C_1-C_6-halogenoalkylsulfanyl having 1 to 5 halogen atoms, a C_1-C_6-alkoxycarbonyl, a C_1-C_6-halogenoalkoxycarbonyl having 1 to 5 halogen atoms, a C_1-C_6-alkylcarbonyloxy, a C_1-C_6-halogenoalkylcarbonyloxy having 1 to 5 halogen atoms, a C_1-C_6-alkylsulphenyl, a C_1-C_6-halogenoalkylsulphenyl having 1 to 5 halogen atoms, a C_1-C_6-alkylsulphinyl, a C_1-C_6-halogenoalkylsulphinyl having 1 to 5 halogen atoms, a C_1-C_6-alkylsulphonyl, a C_1-C_6-halogenoalkylsulphonyl having 1 to 5 halogen atoms ~~or~~ and a C_1-C_6-alkylsulfonamide;

as well as ~~its salts, N-oxides, metallic complexes, metalloidic complexes and~~ a salt, N-oxide, or optically active ~~isomers~~ isomer thereof.

2. (Previously Presented) The compound of claim 1 wherein n is 1 or 2.

3. (Previously Presented) The compound of claim 1 wherein X is a halogen atom.

4. (Previously Presented) The compound of claim 3 wherein X is chlorine.

5. (Previously Presented) The compound of claim 1 wherein R^a is $-CF_3$.

6. (Previously Presented) The compound of claim 1 wherein the 2-pyridyl is substituted in the 3- and/or in the 5-position.

7. (Previously Presented) The compound of claim 6 wherein the 2-pyridyl is substituted in the 3-position by X and in the 5-position by R^a.

8. (Previously Presented) ~~A~~ The compound ~~according to~~ of claim 1~~, characterised in that~~ wherein the 2-pyridyl is substituted in the 3-position by -Cl and in the 5-position by $-CF_3$.

9. (Currently Amended) The compound of claim 1 wherein R^b is selected from the group consisting of a halogen atom, a C_1-C_6-alkyl, a C_1-C_6-alkoxy ~~or~~ and a C_1-C_6-halogenoalkyl having 1 to 5 halogen atoms.

10. (Previously Presented) The compound of claim 1 wherein p is 1.

11. (Previously Presented) The compound of claim 1 wherein each substituent Y is independently selected from the group consisting of a hydrogen atom, a halogen atom and a C_1-C_6-alkyl.

12. (Currently Amended) The compound of claim 1 wherein R^1 and R^2 are independently selected from the group consisting of a hydrogen atom, a halogen atom, a cyano group, a hydroxy group, a C_1-C_6-alkyl, a C_1-C_6-halogenoalkyl having 1 to 5 halogen atoms, a C_2-C_6-alkenyl, a C_1-C_6-alkoxy, a C_1-C_6-alkylsulfanyl, a C_1-C_6-alkylsulfenyl, a C_1-C_6-alkylsulfinyl, a C_1-C_6-alkoxycarbonyl, a C_1-C_6-alkylcarbonylamino, a C_1-C_6-alkoxycarbonyloxy, a C_1-C_6-alkoxycarbonylamino ~~or~~ and a phenyl group.

13. (Currently Amended) The compound of claim 12 wherein R^1 and R^2 are independently selected from the group consisting of a halogen atom, a C_1-C_6-alkyl, a C_1-C_6-halogenoalkyl having 1 to 5 halogen atoms, and a C_1-C_6-alkylcarbonylamino.

14. (Canceled)

15. (Previously Presented) The compound of claim 1 wherein R^3 and R^4 are independently selected from the group consisting of a halogen atom, a C_1-C_6-alkyl, a C_1-C_6-halogenoalkyl having 1 to 5 halogen atoms and a phenyl group.

16. (Previously Presented) The compound of claim 1 wherein R^5 is a hydrogen atom or a C_3-C_7-cycloalkyl.

17. (Currently Amended) A process for the preparation of a compound of ~~general~~ formula (I) as defined in claim 1, which comprises reacting a 2-pyridine derivative of ~~general~~ formula (II) or one of its salts:



(II)

wherein R^5 is hydrogen,

with a carboxylic acid derivative of the ~~general~~ formula (III)



(III)

in which: L^2 is a leaving group selected from the group consisting of a halogen atom, a hydroxyl group, $-OR^6$, $-OCOR^6$, R^6 being a C_1-C_6 alkyl, a C_1-C_6 haloalkyl, a benzyl, 4-methoxybenzyl, pentafluorophenyl, and a group of the formula



in the presence of a catalyst and, if L^2 is a hydroxyl group, in the presence of a condensing agent; then completing the process by a step according to the following reaction scheme:



(Id)



(I)

in which: L^5 is a leaving group chosen as being a halogen atom, a 4-methyl phenylsulfonyloxy or a methylsulfonyloxy;

comprising the reaction of a compound of general formula (Id) with a compound of ~~general~~ formula (XXII) to provide a compound of ~~general~~ formula (I).

18 -20. (Canceled)